

Product features and usage introduction

LED as light source, the LED under-water light is a RGB (Red, Green and Blue) or single color under-water illumination light, which can produce 256 gray changes. Intelligent controller can work synchronously and connect DMX controller. The user can input data for programmed control. Stainless steel outer covering, sealed lamp, adjusted projecting angle and place make it achieve the satisfied effects. The LED under-water light employs low-voltage power safe and power-saving, long performance and durable. One wire connects power source and controller system, easy for installation.





TSL-UW001
Φ75 H190



TSL-UW002
Φ75 H110



TSL-UW003
Φ52 H65



TSL-UW004
Φ65 H80



TSL-UW005
Φ85 H120



TSL-UW006
Φ82 H120



TSL-UW007
Φ90 H120



TSL-UW008
Φ82 H120



TSL-UW010
Φ82 H150



TSL-UW012
Φ110 H120



TSL-UW013
Φ90 H120



TSL-UW014
Φ88 H105
Φ95 H125



TSL-UW015
Φ90 H130



TSL-UW016
Φ105 H160



TSL-UW017
Φ290 H40



TSL-UW018
Φ138 H150



TSL-UW019
Φ145 H140



TSL-UW020
Φ220 H240



TSL-UW021
Φ220 H210



TSL-UW022
Φ220 H250



TSL-UW023
Φ160 H150
Φ210 H220





TSL-UW024
Φ90 H140
Φ115 H160



TSL-UW025
Φ140 H220



TSL-UW026
Φ100 H130



TSL-UW027
Φ100 H130



TSL-UW028
Φ120 H150



TSL-UW029
Φ145 H180



TSL-UW030
Φ145 H180



TSL-UW031
Φ145 H210



TSL-UW032
Φ158 H210



TSL-UW033
Φ158 H210



TSL-UW034
Φ150 H120



TSL-UW035
Φ165 H150



TSL-UW036
Φ165 H180



TSL-UW037
Φ155 H220



TSL-UW038
Φ155 H220



TSL-UW039
Φ146 H240



TSL-UW040
Φ155 H165



TSL-UW041
Φ130 H170



TSL-UW042
Φ130 H170



TSL-UW043
Φ130 H170



TSL-UW044
45Φ 95H



TSL-UW045
50Φ 95H



TSL-UW046
40 X 40 H95



TSL-UW047
Φ45 H95



TSL-UW048
Φ55 H100



TSL-UW049
Φ35 H100



TSL-UW050
40 X 40 H40



TSL-UW051
45Φ 80H



TSL-UW052
Φ50 H80



TSL-UW053
Φ38 H95



TSL-UW054
Φ38 H95



TSL-UW055
Φ60 H95



TSL-UW056
Φ55 H95



TSL-UW057
Φ82 H120



TSL-UW058
Φ82 H120



TSL-UW059
Φ82 H120



TSL-UW060
Φ85 H170



TSL-UW061
Φ158 H210



TSL-UW062
Φ158 H210



TSL-UW063
Φ158 H210



TSL-UW064
Φ145 H180