

Application

- 1. Cove lighting
- 2. Architectural lights for canopy, corridor, window, archway
- 3. Backlight or edge lighting for signage
- 4. DIY lights for home use
- 5. Path and contour marking
- 6. Decorative lights for holiday, event, show, exhibition
- 7. Other outdoor use

Features

- 1. Flexible enough to be bent at any angles
- 2. Totally waterproof, IP68
- 3. Designed for free cutting every 3 LEDs
- 4. User can use DIY accessories for easy connection of cutting sections
- 5. UV resistant, suitable for outdoor application
- 6. Much brighter than normal rope light




1. Single Color Flexible SMD Strip Led light

Item No.	LED Type	Voltage	Size (mm)	LED Q'ty	Color	Standard	Grade IP
TSL-IS60-05WW	SMD 3528	12V/DC	5,000*5	60pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS60-05W					White		
TSL-IS60-05R					Red		
TSL-IS60-05Y					Yellow		
TSL-IS60-05B					Blue		
TSL-IS60-05G					Green		
TSL-IS96-05WW	SMD 3528	12V/DC	5,000*5	96pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS96-05W					White		
TSL-IS96-05R					Red		
TSL-IS96-05Y					Yellow		
TSL-IS96-05B					Blue		
TSL-IS96-05G					Green		
TSL-IS60-08WW	SMD 3528	12V/DC	5,000*8	60pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS60-08W					White		
TSL-IS60-08R					Red		
TSL-IS60-08Y					Yellow		
TSL-IS60-08B					Blue		
TSL-IS60-08G					Green		
TSL-IS96-08WW	SMD 3528	12V/DC	5,000*8	96pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS96-08W					White		
TSL-IS96-08R					Red		
TSL-IS96-08Y					Yellow		
TSL-IS96-08B					Blue		
TSL-IS96-08G					Green		
TSL-IS30-10WW	SMD 5050	12V/DC	5,000*10	30pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS30-10W					White		
TSL-IS30-10R					Red		
TSL-IS30-10Y					Yellow		
TSL-IS30-10B					Blue		
TSL-IS30-10G					Green		
TSL-IS60-10WW	SMD 5050	12V/DC	5,000*10	60pcs/ M	Warm white	5,000mm /reel	IP20 IP68
TSL-IS60-10W					White		
TSL-IS60-10R					Red		
TSL-IS60-10Y					Yellow		
TSL-IS60-10B					Blue		
TSL-IS60-10G					Green		




2.RGB Flexible SMD Strip Led light


Item No.	LED Type	Voltage	Size (mm)	LED Q'ty	Color	Standard	Grade IP
TSL-IS30-10RGB	SMD 5050	12V/DC	5,000*10	30pcs/M		5,000mm /reel	IP20 IP68
TSL-IS60-10RGB				60pcs/M			
TSL-IS30-12RGB			5,000*12	30pcs/M			
Remark:TSL-IS30-12RGB including inner RGB controller							

3.Waterproof:


Above the product can be made waterproof products.the waterproof type as follow:



Waterproof type1:



Waterproof type2:



Waterproof type3